



Advanced Validation Labs, Inc.

17665B Newhope Street, Fountain Valley, CA 92708 (714) 435-2630



Intel PCSD Server Memory Compatibility Test Certificate	
Test System: Intel M50CYP (Coyote Pass)	Test Result: Pass

Leveraged System(s):

Modules Information									
DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank
Kingston	KSM32RD8/32HCR	RDIMM	1.2V	32GB	4Gx72	3200	22	E4	DR
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code	Register Vendor / Rev.	DIMM Composition					
SK Hynix	H5ANAG8NCJR-XNC	16Gb	2048Mx8bit	2147	Rambus	B0	(2048Mx8)*2*72		

System Configuration		
SETUP	System #1	System #2
AVL S/N	N/A	N/A
System S/N	BQC112600012	BQC112600057
Board Rev. (PBA)	K73719-351	K73719-351
CPU Type	Intel 1.8 GHz	Intel 1.8 GHz
Chipset	Intel 62X Series	
BIOS	86B.1020.P37	86B.1020.P37
BMC / ME	2.85 / 04.04.04.58	2.85 / 04.04.04.58
FUR/SDR	0.36	0.36
OS	Windows Server 2019 Datacenter	
Test Tool	iWVSS 2.9.2, SELViewer, Syscfg, SHC v4.2.1	

Testing Summary		
Test Items	Test Description	Test Results
1. BIOS Configuration check	Record memory Size and Speed detection	Done
2. SPD Check	Check for JEDEC compliance	Pass
3. Memory Stress 4 Corner Test @ 6 Hours each Corner	Max Load: (High / Low VDD -- 0C / 40C)	Pass
	Min Load: (High / Low VDD -- 0C / 40C)	Pass
4. Power Cycle Test @ 50 Cycles each Corner	Max Load: (High / Low VDD -- 0C / 40C)	Pass
	Min Load: (High / Low VDD -- 0C / 40C)	Pass
5. SHC	iMunch (MAX Load)	Pass
	TSL (MAX Load)	Done
6. RMT Test	Max Load Nominal VDD - 1x1x3	Pass

Memory Module Image



AVL USE ONLY:							
Completed by:	Andy Chang	Completion Date:	4/28/2022	AVL A#	U221239	AVL W/O	WG1516
Comments:							

RMT Results														
Summary	RxDqs-	RxDqs+	RxV-	Rxv+	TxDq-	TxDq+	TxV-	TxV+	Cmd-	Cmd+	CmdV-	CmdV+	Ctl-	Ctl+
Whitley DDR4-3200 Quick Analysis Guideline	10	10	11	11	10	10	10	10	19	19	12	12	19	19
Worst Case	12	13	12	12	13	14	17	15	40	38	36	37	52	54