



Advanced Validation Labs, Inc.

17665B Newhope Street, Fountain Valley, CA 92708 (714) 435-2630



Intel PCSD Server Memory Compatibility Test Certificate	
Test System: Intel M50CYP (Coyote Pass)	Test Result: Pass


Leveraged System(s):

Modules Information									
DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank
Kingston	KSM32RD8/32MFR	RDIMM	1.2V	32GB	4Gx72	3200	22	E4	DR
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code		Register Vendor / Rev.		DIMM Composition			
Micron	MT40A2G8SA-062E:F	16Gb		2048Mx8bit 2202		Rambus		B0 (2048Mx8)*2*72	

System Configuration		
SETUP	System #1	System #2
AVL S/N	N/A	N/A
System S/N	BQC112600012	BQC112600057
Board Rev. (PBA)	K73719-351	K73719-351
CPU Type	Intel 1.8 GHz	Intel 1.8 GHz
Chipset	Intel 62X Series	
BIOS	86B.1020.P37	86B.1020.P37
BMC / ME	2.85 / 04.04.04.58	2.85 / 04.04.04.58
FUR/SDR	0.36	0.36
OS	Windows Server 2019 Datacenter	
Test Tool	iWVSS 2.9.2, SELViewer, Syscfg, SHC 4.2.1	

Testing Summary		
Test Items	Test Description	Test Results
1. BIOS Configuration check	Record memory Size and Speed detection	Done
2. SPD Check	Check for JEDEC compliance	Pass
3. Memory Stress 4 Corner Test @ 6 Hours each Corner	Max Load: (High / Low VDD -- 0C / 40C)	Pass
	Min Load: (High / Low VDD -- 0C / 40C)	Pass
4. Power Cycle Test @ 50 Cycles each Corner	Max Load: (High / Low VDD -- 0C / 40C)	Pass
	Min Load: (High / Low VDD -- 0C / 40C)	Pass
5. SHC	iMunch (MAX Load)	Pass
	TSL (MAX Load)	Done
6. RMT Test	Max Load Nominal VDD - 1x1x3	Pass

Memory Module Image



AVL USE ONLY:							
Completed by:	Completion Date:	AVL A#	AVL W/O	WG1975			
Andy Chang	8/18/2022	U221544					

Comments:

RMT Results														
Summary	RxDqs-	RxDqs+	RxV-	Rxv+	TxDq-	TxDq+	TxV-	TxV+	Cmd-	Cmd+	CmdV-	CmdV+	Ctl-	Ctl+
Whitley DDR4-3200 Quick Analysis Guideline	10	10	11	11	10	10	10	10	19	19	12	12	19	19
Worst Case	14	13	15	15	14	14	14	13	40	38	40	37	51	54