

**Server Memory Compatibility Test Certificate**

Test System: **Supermicro X10SRI-F** Test Result: **Pass**

Leveraged System(s): X10SRL-F, X10SRH-CF, X10SRH-CLN4F, X10SRG-F, X10SRW-F, X10SRA, X10SRA-F, X10SRM-F, X10SRM-TF, X10SRG-F, X10SRW-F

**Module Specifications**

Rev. 1/13/2015

DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank
Kingston	KSM26LQ4/64HCM	LRDIMM	1.20V	64GB	8Gx72	2666	19	D2	QR
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code			Register Vendor / Rev.		DIMM Composition		
Sk Hynix	H5ANAG4NCPR-VKC	8Gb			Montage		A0 (8192Mx4)*72		


**System Configuration**

SETUP	System Information
AVL S/N	SV2269
System S/N	0M148S016129
Board Rev. (PBA)	1.01
CPU Type	Intel E5-2650 v4 (BDW) x1
Chipset	Intel C612
BIOS / Date	3.1 /6/6/2018
BMC / ME	1.89/3.0.5.422
FRU/SDR	N/A
OS	Ubuntu 16.04 LTS
Test Tool	Stressapptest 1.0.7 /Memtest86+

**Testing Summary**

Test Items	Test Description			Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS			<b>Done</b>
2. SPD Check	DIMM SPD content check for JEDEC compliance			<b>Pass</b>
3. Reset Cycle	Max Load	Room	200 Loops	<b>Pass</b>
4. Memory Stress - Memtest86+			2 Loops	<b>Pass</b>
5. Memory Stress-Stressapptest		40°C	24Hrs	<b>Pass</b>
Note:				

**Memory Module Image**



**AVL USE ONLY:**

Completed by:	Van Nguyen	Completion Date:	9/23/2019	AVL A#	U191257	AVL W/O	WF2513
Comments:							