

Server Memory Compatibility Test Certificate

Test System: **Supermicro X10DRi** Test Result: **Pass**

Leveraged System(s): X10DRi-T, X10DAi, X10DAC, X10DRH-CT, X10DRW-i / X10DRW-iT, X10DDW-i / X10DDW-iN, X10DRG-H / X10DRG-HT, X10DRT-P / X10DRT-PT, X10DRT-PIBQ / X10DRT-PIBF, X10DRFR / X10DRFR-T / X10DRH-C, X10DRH-CLN4, X10DRH-iLN4, X10DRT-PS, X10DRX, X10DRU-X, X10DRU-XLL, X10DRFF-CG, X10DRFF-CTG, X10DRFF-iG,

Module Specifications

Rev. 1/13/2015

DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank	
Kingston	KSM26RS8/8HCI	RDIMM	1.20V	8GB	1Gx72	2666	19	D1	SR	
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code		Register Vendor / Rev.		DIMM Composition				
Sk Hynix	H5AN8G8NCJR-WMC	8Gb		1024Mx8bit		1914		IDT	B1	(1024x8)*72

System Configuration


SETUP	System Information
AVL S/N	SV2271
System S/N	0M148004057
Board Rev. (PBA)	1.01
CPU Type	Intel E5-2650 v4 (BDW) x2
Chipset	Intel C612
BIOS / Date	3.1a /04/16/2019
BMC / ME	1.94/3.0.6.267
FRU/SDR	1.02
OS	Ubuntu 16.04 LTS
Test Tool	Stressapptest 1.0.7 /Memtest86+

Testing Summary

Test Items	Test Description	Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS	Done
2. SPD Check	DIMM SPD content check for JEDEC compliance	Pass
3. Reset Cycle	200 Loops	Pass
4. Memoy Stress - Memtest86+	Room	Pass
5. Memory Stress-Stressapptest	Max Load	2 Loops
	40°C	24Hrs

Note:

Memory Module Image



AVL USE ONLY:

Completed by:	Van Nguyen	Completion Date:	7/29/2019	AVL A#	U191272	AVL W/O	WF2712
Comments:							