

**Server Memory Compatibility Test Certificate**


Test System: <b>Supermicro X11SRA</b>	Test Result: <b>Pass</b>
---------------------------------------	--------------------------

Leveraged Board(s) / System(s): X11SRA, X11SRA-F, X11SRA-RF, SYS-5039A-I

Module Specifications									Rev. 05/16/19
<b>DIMM Vendor</b>	<b>DIMM Part Number</b>	<b>Type</b>	<b>Voltage</b>	<b>Size</b>	<b>Config.</b>	<b>Speed</b>	<b>CL</b>	<b>R/C</b>	<b>Rank</b>
Kingston	KSM29RS4/16HDR	RDIMM	1.2V	16GB	2048Mx72	2933	21-21-21	C2	1
<b>DRAM Vendor</b>	<b>DRAM Part Number</b>	<b>DRAM Density / Width / Date Code</b>			<b>Register Vendor / Rev.</b>		<b>DIMM Composition</b>		
SK Hynix	H5AN8G4NDJR-XNC	8Gb 2048Mx4 2008			Rambus B0		(2048Mx4)*72		

System Configuration	
SETUP	System Information
AVL S/N	h190330-01
System S/N	7902
Board Rev. (PBA)	1.02
CPU Type	Intel Xeon W-2225
Chipset	C422
BIOS / Date	2.0a /02/10/20
BMC / ME	1.21 / 11.11.60.1561
FRU/SDR	n/a
OS	Ubuntu 16.04 LTS
Test Tool	Stressapptest 1.0.7 / Memtest86+

Testing Summary		
Test Items	Test Description	Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS	<b>Done</b>
2. SPD Check	DIMM SPD content check for JEDEC compliance	<b>Pass</b>
3. Reset Cycle	Max Load Room	200 Loops <b>Pass</b>
4. Memroy Stress - Memtest86+		2 Loops <b>Pass</b>
5. Memory Stress-Stressapptest		40°C 24Hrs <b>Pass</b>
Note:		



AVL USE ONLY:							
Completed by:	Van Nguyen	Completion Date:	12/4/2020	AVL A#	U201549	AVL W/O	WF7287
Comments:							