

Server Memory Compatibility Test Certificate


Test System: **Supermicro X11DPU (System SYS-6029U-TR4T)** Test Result: **Pass**

Leveraged Board(s) / System(s): X11DPU, X11DPU-X, X11DPU-XLL, X11DPU-Z+, SYS-1029U-TN10RT, SYS-1029U-TR4T, SYS-1029U-TRT, SYS-1029U-TR25M, SYS-1029U-TRTP2, SYS-1029U-TRTP, SYS-1029U-TR4, SYS-1029U-E1CR4T, SYS-1029U-E1CR4, SYS-1029U-E1CRT, SYS-1029U-E1CRTP, SYS-1029U-E1CRTP2, SYS-1029U-E1CR25M, SYS-6019U-TN4R4T, SYS-6019U-TN4RT, SYS-6019U-TR4T, SYS-6019U-TR4, SYS-6019U-TRTP, SYS-6019U-TRTP2, SYS-6019U-TR25M, SYS-6019U-TRT, SYS-2029U-TN24R4T, SYS-2029U-TR4T, SYS-2029U-TR4, SYS-2029U-TRTP, SYS-2029U-TRT, SYS-2029U-TR25M, SYS-2029U-E1CR4T, SYS-2029U-E1CR4, SYS-2029U-E1CRTP, SYS-2029U-E1CRT, SYS-2029U-E1CR25M, SYS-6029U-TR4T, SYS-6029U-TR4, SYS-6029U-TRT, SYS-6029U-TRTP, SYS-6029U-TR25M, SYS-6029U-E1CR4T, SYS-6029U-E1CR4, SYS-6029U-E1CRT, SYS-6029U-E1CRTP, SYS-6029U-E1CR25M, SYS-1029UZ-TN20R25M

Module Specifications										Rev. 05/16/19
DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank	
Kingston	KSM29RS4/32HAR	RDIMM	1.2V	32GB	4096Mx72	2933	21-21-21	C3	1	
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code			Register Vendor / Rev.		DIMM Composition			
SK Hynix	H5ANAG4NAJR-XNC	16Gb	4096Mx4	2005	Rambus	B0	(4096Mx4)*72			

System Configuration	
SETUP	System Information
AVL S/N	H180198-001
System S/N	CD0002
Board Rev. (PBA)	1.10
CPU Type	Intel Xeon Gold 6252(PLCX) x2
Chipset	C621
BIOS / Date	3.3a /7/21/20
BMC / ME	1.43
FRU/SDR	n/a
OS	Ubuntu 16.04 LTS
Test Tool	Stressapptest 1.0.7/Memtest86+

Testing Summary		
Test Items	Test Description	Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS	Done
2. SPD Check	DIMM SPD content check for JEDEC compliance	Pass
3. Reset Cycle	200 Loops	Pass
4. Memoy Stress - Memtest86+	Room	2 Loops
	40°C	24Hrs
5. Memory Stress-Stressapptest		Pass
Note:		



AVL USE ONLY:							
Completed by:	Van Nguyen	Completion Date:	10/9/2020	AVL A#	U201580	AVL W/O	WF7492
Comments:							