



### Advanced Validation Labs, Inc.

17665B Newhope Street, Fountain Valley, CA 92708 (714) 435-2630



Intel PCSD Server Memory Compatibility Test Certificate	
Test System: <b>Intel S2600WF (Wolf Pass)</b>	Test Result: <b>Pass</b>

Leveraged System(s): R1208WFTYS, R1304WF, R1304WF0YS, R1304WFTYS, R2000WF, R2208WF0ZS, R2208WFTZS, R2224WFTZS, R2308WFTZS, R2312WF0NP, R2312WFTZS, S2600WF0, S2600WFQ, S2600WFT

#### Modules Information

DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank
Kingston	KSM24RS8/8MAI	RDIMM	1.2V	8GB	1Gx72	2400	17	D	SR
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code			Register Vendor / Rev.		DIMM Composition		
Micron	MT40A1G8PM-083E:A	8Gb 1024Mx8bit 1712			IDT C0		(1024Mx8)*72		


#### System Configuration

SETUP	System #1	System #2
AVL S/N	WP390	WP305
System S/N	BQWF71100390	BQWF71100305
Board Rev. (PBA)	H87179-710	
CPU Type	Platinum 8170 M / 2.10 GHz	
Chipset	C610	
BIOS	0X.01.0038	0X.01.0076
BMC / ME	1.22 / 04.00.03.219	1.29 / 04.00.03.235
FUR/SDR	1.22	1.29
OS	Windows Server 2016 Standard	
Test Tool	iWVSS 2.7.0, SELViewer, Syscfg, WinPIRA	

#### Testing Summary

Test Items	Test Description	Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS	Done
2. SPD Check	DIMM SPD content check for JEDEC compliance	Pass
3. Memory Stress	Test for 6 hours @ Max and Min Loading	HVDD Hot Pass
4. Memory Stress		HVDD Cold Pass
5. Memory Stress		LVDD Hot Pass
6. Memory Stress		LVDD Cold Pass
Note:		

#### Memory Module Image



#### AVL USE ONLY:

Completed by:	Andy Chang	Completion Date:	11/02/2017	AVL A#	U171116	AVL W/O	WF0165
Comments:							

Test Results

4C					
Minimum Loading					
Start Date		10/24/2017			
DIMM Voltage		1.22v / 1.16v			
DIMM VPP		2.64v / 2.422v			
DIMM	S/N	A	B	C	D
CPU1 A1	16-0001	P	P	P	P
CPU1 A2					
CPU1 B1	16-0002	P	P	P	P
CPU1 B2					
CPU1 C1	16-0003	P	P	P	P
CPU1 C2					
CPU1 D1	16-0004	P	P	P	P
CPU1 D2					
CPU2 E1	16-0005	P	P	P	P
CPU2 E2					
CPU2 F1	16-0006	P	P	P	P
CPU2 F2					
CPU2 G1	17-0001	P	P	P	P
CPU2 G2					
CPU2 H1	17-0002	P	P	P	P
CPU2 H2					
CPU2 I1	17-0003	P	P	P	P
CPU2 I2					
CPU2 J1	17-0004	P	P	P	P
CPU2 J2					
CPU2 K1	17-0005	P	P	P	P
CPU2 K2					
CPU2 L1	17-0006	P	P	P	P
CPU2 L2					

4C					
Maximum Loading					
Start Date		10/24/17			
DIMM Voltage		1.22v / 1.16v			
DIMM VPP		2.64v / 2.422v			
DIMM	S/N	A	B	C	D
CPU1 A1	16-0001	P	P	P	P
CPU1 A2	16-0002	P	P	P	P
CPU1 B1	16-0003	P	P	P	P
CPU1 B2	16-0004	P	P	P	P
CPU1 C1	16-0005	P	P	P	P
CPU1 C2	16-0006	P	P	P	P
CPU1 D1	16-0007	P	P	P	P
CPU1 D2	16-0008	P	P	P	P
CPU2 E1	16-0009	P	P	P	P
CPU2 E2	16-0010	P	P	P	P
CPU2 F1	16-0011	P	P	P	P
CPU2 F2	16-0012	P	P	P	P
CPU2 G1	17-0001	P	P	P	P
CPU2 G2	17-0002	P	P	P	P
CPU2 H1	17-0003	P	P	P	P
CPU2 H2	17-0004	P	P	P	P
CPU2 I1	17-0005	P	P	P	P
CPU2 I2	17-0006	P	P	P	P
CPU2 J1	17-0007	P	P	P	P
CPU2 J2	17-0008	P	P	P	P
CPU2 K1	17-0009	P	P	P	P
CPU2 K2	17-0010	P	P	P	P
CPU2 L1	17-0011	P	P	P	P
CPU2 L2	17-0012	P	P	P	P